

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140599**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239324	Main Office	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0001			11:56:00 AM	1:13:00 PM			

Sample Notes:

Samples for EMSL Kit 143411

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
242072	Library	0.4	4/1/2016	4/4/2016	70	50	Customer
381603415-0002			11:57:00 AM	1:12:00 PM			

Sample Notes:

Samples for EMSL Kit 143401

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241377	Rm 100	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0003			11:58:00 AM	1:15:00 PM			

Sample Notes:

Samples for EMSL Kit 134380

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241325	Tv Room	0.6	4/1/2016	4/4/2016	70	50	Customer
381603415-0004			11:59:00 AM	1:16:00 PM			

Sample Notes:

Samples for EMSL Kit 143382

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241206	Rm 101	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0005			12:00:00 PM	1:17:00 PM			

Sample Notes:

241582	Rm 101	0.5	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0006			12:00:00 PM	1:17:00 PM			

Sample Notes:

Duplicate RPD = 0%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143379**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241466	Rm 102	0.4	4/1/2016	4/4/2016	70	50	Customer
381603415-0007			12:01:00 PM	1:18:00 PM			

Sample Notes:

Samples for EMSL Kit 143381

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241210	Rm 103	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0008			12:02:00 PM	1:19:00 PM			

Sample Notes:

Samples for EMSL Kit 143390

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241449	Rm 104	0.2	4/1/2016	4/4/2016	70	50	Customer
381603415-0009			12:03:00 PM	1:20:00 PM			

Sample Notes:

Samples for EMSL Kit 143402

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241988	Rm 105	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0010			12:04:00 PM	1:21:00 PM			

Sample Notes:

241635	Rm 105	0.1	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0011			12:04:00 PM	1:21:00 PM			

Sample Notes:

Duplicate RPD = 100%

Samples for EMSL Kit 143403

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241225	Rm 106	0.1	4/1/2016	4/4/2016	70	50	Customer
381603415-0012			12:05:00 PM	1:22:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143404**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241416	Rm 108	0.2	4/1/2016	4/4/2016	70	50	Customer
381603415-0013			12:06:00 PM	1:24:00 PM			

Sample Notes:

Samples for EMSL Kit 143392

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241990	Rm 107	0.2	4/1/2016	4/4/2016	70	50	Customer
381603415-0014			12:07:00 PM	1:23:00 PM			

Sample Notes:

241690	Rm 107	0.2	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0015			12:07:00 PM	1:23:00 PM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 143393

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241305	Rm 109	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0016			12:08:00 PM	1:25:00 PM			

Sample Notes:

Samples for EMSL Kit 143391

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241214	Rm 111	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0017			12:09:00 PM	1:27:00 PM			

Sample Notes:

Samples for EMSL Kit 143389

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241237	Rm 110	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0018			12:10:00 PM	1:26:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143425**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241220	Rm 112	0.8	4/1/2016	4/4/2016	70	50	Customer
381603415-0019			12:11:00 PM	1:28:00 PM			

Sample Notes:

240178	Rm 112	0.1	4/1/2016	4/4/2016	70	50	Blank
381603415-0020			12:11:00 PM	1:28:00 PM			

Sample Notes:**Samples for EMSL Kit 143424**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
242025	Waiting Office	1.2	4/1/2016	4/4/2016	70	50	Customer
381603415-0021			12:12:00 PM	1:29:00 PM			

Sample Notes:**Samples for EMSL Kit 143426**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
242053	Rm 113A	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0022			12:13:00 PM	1:30:00 PM			

Sample Notes:**Samples for EMSL Kit 143412**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241381	Rm 114	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0023			12:14:00 PM	1:31:00 PM			

Sample Notes:

241571	Rm 114	0.4	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0024			12:14:00 PM	1:31:00 PM			

Sample Notes:

Duplicate RPD = 54.5%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143414**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241255	Rm 115	0.6	4/1/2016	4/4/2016	70	50	Customer
381603415-0025			12:15:00 PM	1:32:00 PM			

Sample Notes:

Samples for EMSL Kit 143429

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
242006	Rm 116	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0026			12:16:00 PM	1:33:00 PM			

Sample Notes:

Samples for EMSL Kit 143428

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241250	Rm 117	0.2	4/1/2016	4/4/2016	70	50	Customer
381603415-0027			12:17:00 PM	1:34:00 PM			

Sample Notes:

241596	Rm 117	0.4	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0028			12:17:00 PM	1:34:00 PM			

Sample Notes:

Duplicate RPD = 66.7%

Samples for EMSL Kit 143427

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
242014	Rm 118	1.6	4/1/2016	4/4/2016	70	50	Customer
381603415-0029			12:18:00 PM	1:35:00 PM			

Sample Notes:

Samples for EMSL Kit 143421

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241350	Rm 119	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0030			12:18:00 PM	1:36:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143377**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241474	Rm 120	0.4	4/1/2016	4/4/2016	70	50	Customer
381603415-0031			12:19:00 PM	1:37:00 PM			

Sample Notes:

Samples for EMSL Kit 140684

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239112	Rm 121	0.4	4/1/2016	4/4/2016	70	50	Customer
381603415-0032			12:20:00 PM	1:38:00 PM			

Sample Notes:

Samples for EMSL Kit 141747

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239537	Rm 122	1.1	4/1/2016	4/4/2016	70	50	Customer
381603415-0033			12:21:00 PM	1:39:00 PM			

Sample Notes:

Samples for EMSL Kit 141832

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239523	Rm 123	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0034			12:23:00 PM	12:58:00 PM			

Sample Notes:

239569	Rm 123	0.5	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0035			12:23:00 PM	12:58:00 PM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 141843

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239422	Rm 124	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0036			12:24:00 PM	12:57:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140727**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239139	Rm 125	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0037			12:25:00 PM	12:59:00 PM			

Sample Notes:

Samples for EMSL Kit 140742

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239025	Rm 126	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0038			12:26:00 PM	1:00:00 PM			

Sample Notes:

238688	Rm 126	0.7	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0039			12:26:00 PM	1:00:00 PM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 139685

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239550	Rm 127	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0040			12:27:00 PM	1:01:00 PM			

Sample Notes:

239964	Rm 127	0	4/1/2016	4/4/2016	70	50	Blank
381603415-0041			12:27:00 PM	1:01:00 PM			

Sample Notes:

Samples for EMSL Kit 141684

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239506	Rm 140	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0042			12:29:00 PM	1:02:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141748**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239390	Rm 139	0	4/1/2016	4/4/2016	70	50	Customer
381603415-0043			12:31:00 PM	1:03:00 PM			

Sample Notes:

239771	Rm 139	0.1	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0044			12:31:00 PM	1:03:00 PM			

Sample Notes:**Duplicate RPD = 200%****Samples for EMSL Kit 140728**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239072	Rm 128	0.3	4/1/2016	4/4/2016	70	50	Customer
381603415-0045			12:32:00 PM	1:04:00 PM			

Sample Notes:

237123	Rm 128	0.3	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0046			12:32:00 PM	1:04:00 PM			

Sample Notes:**Duplicate RPD = 0%****Samples for EMSL Kit 140741**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239014	Rm 129	0.5	4/1/2016	4/4/2016	70	50	Customer
381603415-0047			12:33:00 PM	1:05:00 PM			

Sample Notes:**Samples for EMSL Kit 141759**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239414	Rm 130	0.6	4/1/2016	4/4/2016	70	50	Customer
381603415-0048			12:34:00 PM	1:06:00 PM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:32 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results**Samples for EMSL Kit 141686**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239540	Rm 131	0.6	4/1/2016	4/4/2016	70	50	Customer
381603415-0049			12:35:00 PM	1:07:00 PM			

Sample Notes:

Samples for EMSL Kit 141705

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239483	Rm 132	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0050			12:36:00 PM	1:08:00 PM			

Sample Notes:

239913	Rm 132	0.1	4/1/2016	4/4/2016	70	50	Blank
381603415-0051			12:36:00 PM	1:08:00 PM			

Sample Notes:

Samples for EMSL Kit 141708

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239502	Rm 133	1.1	4/1/2016	4/4/2016	40	50	Customer
381603415-0052			12:37:00 PM	1:09:00 PM			

Sample Notes:

239840	Rm 133	1.1	4/1/2016	4/4/2016	70	50	Duplicate
381603415-0053			12:37:00 PM	1:09:00 PM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 141709

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239420	Rm 134	0.9	4/1/2016	4/4/2016	70	50	Customer
381603415-0054			12:38:00 PM	1:10:00 PM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603415
CustomerID: PGCS62
CustomerPO: 608048
ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 04/08/16 10:32 AM
Analysis Date: 4/12/2016
Collected: 4/1/2016

Project: **Francis Scott Key**

Test Site: **Francis Scott Key**
District Heights, MD 20747

Test Report: Radon in Air Test Results

Samples for EMSL Kit 141681

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239549	Rm 135	0.7	4/1/2016	4/4/2016	70	50	Customer
381603415-0055			12:39:00 PM	1:11:00 PM			

Sample Notes:

Samples for EMSL Kit 141680

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239510	Rm 136	0.8	4/1/2016	4/4/2016	70	50	Customer
381603415-0056			12:39:00 PM	1:14:00 PM			

Sample Notes:

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information. All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Tiffanie Cosgrove (56)

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 04/15/2016 17:55:45

Please visit www.radontestinglab.com