

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381603436

CustomerID: PGCS62

CustomerPO: 608048

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143261**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241459	Main Office	0.4	4/1/2016	4/4/2016	70	50	Customer
381603436-0001			9:20:00 AM	10:30:00 AM			

Sample Notes:**Samples for EMSL Kit 143250**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241397	Room 253	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0002			9:22:00 AM	10:31:00 AM			

Sample Notes:**Samples for EMSL Kit 143259**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241390	Room 251	0.3	4/1/2016	4/4/2016	70	50	Customer
381603436-0003			9:23:00 AM	10:32:00 AM			

Sample Notes:**Samples for EMSL Kit 143257**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241405	Room 249	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0004			9:24:00 AM	10:33:00 AM			

Sample Notes:**Samples for EMSL Kit 143260**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241440	Room 247	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0005			9:25:00 AM	10:34:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603436
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143258**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241617	Room 244	0.4	4/1/2016	4/4/2016	70	50	Customer
381603436-0006			9:26:00 AM	10:35:00 AM			

Sample Notes:

241463	Room 244	0.3	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0007			9:26:00 AM	10:35:00 AM			

Sample Notes:

Duplicate RPD = 28.6%

Samples for EMSL Kit 143246

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241312	Room 242	0.4	4/1/2016	4/4/2016	70	50	Customer
381603436-0008			9:27:00 AM	10:36:00 AM			

Sample Notes:**Samples for EMSL Kit 143248**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241578	Room 240	0.4	4/1/2016	4/4/2016	70	50	Customer
381603436-0009			9:28:00 AM	10:37:00 AM			

Sample Notes:

241611	Room 240	0.5	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0010			9:28:00 AM	10:37:00 AM			

Sample Notes:

Duplicate RPD = 22.2%

Samples for EMSL Kit 143247

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241467	Room 238	0.6	4/1/2016	4/4/2016	70	50	Customer
381603436-0011			9:29:00 AM	10:38:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381603436

CustomerID: PGCS62

CustomerPO: 608048

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143270**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241306	Room 236	0.3	4/1/2016	4/4/2016	70	50	Customer
381603436-0012			9:30:00 AM	10:39:00 AM			

Sample Notes:**Samples for EMSL Kit 143271**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241378	Room 235	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0013			9:31:00 AM	10:40:00 AM			

Sample Notes:**Samples for EMSL Kit 143249**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241583	Counselor's Room	1	4/1/2016	4/4/2016	70	50	Customer
381603436-0014			9:33:00 AM	10:46:00 AM			

Sample Notes:**Samples for EMSL Kit 143267**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241455	Room 226 Media Center	0.6	4/1/2016	4/4/2016	70	50	Customer
381603436-0015			9:35:00 AM	10:47:00 AM			

Sample Notes:**Samples for EMSL Kit 143266**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241359	Room 221	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0016			9:37:00 AM	10:49:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381603436

CustomerID: PGCS62

CustomerPO: 608048

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143264**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241546	Room 220	0.1	4/1/2016	4/4/2016	70	50	Customer
381603436-0017			9:38:00 AM	10:53:00 AM			

Sample Notes:**Samples for EMSL Kit 143265**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241437	Room 218	0.6	4/1/2016	4/4/2016	70	50	Customer
381603436-0018			9:39:00 AM	10:54:00 AM			

Sample Notes:

240061	Room 218	0.2	4/1/2016	4/4/2016	70	50	Blank
381603436-0019			9:39:00 AM	10:54:00 AM			

Sample Notes:**Samples for EMSL Kit 143262**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241554	Room 216	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0020			9:40:00 AM	10:55:00 AM			

Sample Notes:

241589	Room 216	0.4	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0021			9:40:00 AM	10:55:00 AM			

Sample Notes:**Duplicate RPD = 22.2%****Samples for EMSL Kit 143263**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241404	Room 214	0.6	4/1/2016	4/4/2016	70	50	Customer
381603436-0022			9:41:00 AM	10:57:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603436
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143256**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241375	Room 213	0.2	4/1/2016	4/4/2016	70	50	Customer
381603436-0023			9:42:00 AM	11:00:00 AM			

Sample Notes:

Samples for EMSL Kit 143251

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241399	Room 210	0.8	4/1/2016	4/4/2016	70	50	Customer
381603436-0024			9:43:00 AM	11:03:00 AM			

Sample Notes:

Samples for EMSL Kit 143252

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241384	Room 208	0.8	4/1/2016	4/4/2016	70	50	Customer
381603436-0025			9:44:00 AM	11:04:00 AM			

Sample Notes:

241509	Room 208	0.5	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0026			9:44:00 AM	11:04:00 AM			

Sample Notes:

Duplicate RPD = 46.2%

Samples for EMSL Kit 143253

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241421	Room 205	0.8	4/1/2016	4/4/2016	70	50	Customer
381603436-0027			9:45:00 AM	11:06:00 AM			

Sample Notes:

Samples for EMSL Kit 143254

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241552	Room 203	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0028			9:46:00 AM	11:08:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381603436

CustomerID: PGCS62

CustomerPO: 608048

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143255**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241429	Room 202	0.6	4/1/2016	4/4/2016	70	50	Customer
381603436-0029			9:47:00 AM	11:10:00 AM			

Sample Notes:

240037	Room 202	0	4/1/2016	4/4/2016	70	50	Blank
381603436-0030			9:47:00 AM	11:10:00 AM			

Sample Notes:**Samples for EMSL Kit 143280**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241396	Room 200	0.5	4/1/2016	4/4/2016	70	50	Customer
381603436-0031			9:48:00 AM	11:11:00 AM			

Sample Notes:**Samples for EMSL Kit 143281**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241304	Room 150	0.7	4/1/2016	4/4/2016	70	50	Customer
381603436-0032			9:49:00 AM	11:12:00 AM			

Sample Notes:**Samples for EMSL Kit 143282**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241322	Room 146	0.4	4/1/2016	4/4/2016	70	50	Customer
381603436-0033			9:51:00 AM	11:13:00 AM			

Sample Notes:

241533	Room 146	0.4	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0034			9:51:00 AM	11:13:00 AM			

Sample Notes:**Duplicate RPD = 0%**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603436
 CustomerID: PGCS62
 CustomerPO: 608048
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 04/08/16 10:33 AM
 Analysis Date: 4/12/2016
 Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results**Samples for EMSL Kit 143288**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241291	Room 144	0.7	4/1/2016	4/4/2016	70	50	Customer
381603436-0035			9:53:00 AM	11:14:00 AM			

Sample Notes:

241631	Room 144	0.5	4/1/2016	4/4/2016	70	50	Duplicate
381603436-0036			9:53:00 AM	11:14:00 AM			

Sample Notes:

Duplicate RPD = 33.3%

Samples for EMSL Kit 143299

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241289	Room 122	0.2	4/1/2016	4/4/2016	70	50	Customer
381603436-0037			9:54:00 AM	11:16:00 AM			

Sample Notes:**Samples for EMSL Kit 143283**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
241294	Room 121	0.1	4/1/2016	4/4/2016	70	50	Customer
381603436-0038			9:55:00 AM	11:17:00 AM			

Sample Notes:

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information. All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381603436
CustomerID: PGCS62
CustomerPO: 608048
ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 04/08/16 10:33 AM
Analysis Date: 4/12/2016
Collected: 4/1/2016

Project: **Mary Harris Mother Jones**

Test Site: **Mary Harris Mother Jones**
Adelphi, MD 20783

Test Report: Radon in Air Test Results

Analyst(s)

Laura Freeman (38)

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 04/15/2016 16:37:24

Please visit www.radontestinglab.com