

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381600854

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES****Rosaryville ES****Test Report: Radon in Air Test Results****Samples for EMSL Kit 135698**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230082 381600854-0001	Conference Room 121	0.2	1/29/2016 11:42:00 AM	2/1/2016 6:30:00 AM	50	40	Customer

Sample Notes:

230048 381600854-0002	Conference Room 121	0.2	1/29/2016 11:43:00 AM	2/1/2016 6:31:00 AM	50	40	Customer
--------------------------	------------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:**Summary for EMSL Kit 135698 Average Radon Result: 0.2 pCi/L****Samples for EMSL Kit 135709**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230046 381600854-0003	Conference Room Office 122	0.2	1/29/2016 11:45:00 AM	2/1/2016 6:32:00 AM	50	40	Customer

Sample Notes:

230017 381600854-0004	Conference Room Office 122	0.1	1/29/2016 11:46:00 AM	2/1/2016 6:33:00 AM	50	40	Customer
--------------------------	-------------------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:**Summary for EMSL Kit 135709 Average Radon Result: 0.2 pCi/L****Samples for EMSL Kit 135696**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230173 381600854-0005	253 Art Room	0.4	1/29/2016 11:47:00 AM	2/1/2016 6:34:00 AM	50	40	Customer

Sample Notes:

229858 381600854-0006	253 Art Room	0.3	1/29/2016 11:48:00 AM	2/1/2016 6:35:00 AM	50	40	Customer
--------------------------	--------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:**Summary for EMSL Kit 135696 Average Radon Result: 0.4 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135697

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230164 381600854-0007	251	0.4	1/29/2016 11:49:00 AM	2/1/2016 6:36:00 AM	50	40	Customer

Sample Notes:

229975 381600854-0008	251	0.5	1/29/2016 11:50:00 AM	2/1/2016 6:37:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135697 **Average Radon Result: 0.4 pCi/L**

Samples for EMSL Kit 135689

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230099 381600854-0009	249	0.7	1/29/2016 11:51:00 AM	2/1/2016 6:38:00 AM	50	40	Customer

Sample Notes:

229958 381600854-0010	249	0.6	1/29/2016 11:52:00 AM	2/1/2016 6:39:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135689 **Average Radon Result: 0.6 pCi/L**

Samples for EMSL Kit 135629

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229412 381600854-0011	247	0.5	1/29/2016 11:53:00 AM	2/1/2016 6:40:00 AM	50	40	Customer

Sample Notes:

229403 381600854-0012	247	0.8	1/29/2016 11:54:00 AM	2/1/2016 6:41:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135629 **Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135687

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230025	244	0.5	1/29/2016	2/1/2016	50	40	Customer
381600854-0013			11:55:00 AM	6:42:00 AM			

Sample Notes:

229990	244	0.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0014			11:56:00 AM	6:43:00 AM			

Sample Notes:

Summary for EMSL Kit 135687 Average Radon Result: 0.6 pCi/L

Samples for EMSL Kit 135708

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229976	242	0.9	1/29/2016	2/1/2016	50	40	Customer
381600854-0015			11:57:00 AM	6:44:00 AM			

Sample Notes:

229935	242	0.9	1/29/2016	2/1/2016	50	40	Customer
381600854-0016			11:58:00 AM	6:45:00 AM			

Sample Notes:

Summary for EMSL Kit 135708 Average Radon Result: 0.9 pCi/L

Samples for EMSL Kit 135707

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229980	240	1	1/29/2016	2/1/2016	50	40	Customer
381600854-0017			11:59:00 AM	6:46:00 AM			

Sample Notes:

229938	240	1.1	1/29/2016	2/1/2016	50	40	Customer
381600854-0018			12:00:00 PM	6:47:00 AM			

Sample Notes:

Summary for EMSL Kit 135707 Average Radon Result: 1.0 pCi/L

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135688

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230165 381600854-0019	238	0.2	1/29/2016 12:01:00 PM	2/1/2016 6:48:00 AM	50	40	Customer

Sample Notes:

230074 381600854-0020	238	0.2	1/29/2016 12:02:00 PM	2/1/2016 6:49:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135688 **Average Radon Result: 0.2 pCi/L**

Samples for EMSL Kit 135686

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230028 381600854-0021	236	0.1	1/29/2016 12:03:00 PM	2/1/2016 6:50:00 AM	50	40	Customer

Sample Notes:

229991 381600854-0022	236	0.3	1/29/2016 12:04:00 PM	2/1/2016 6:51:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135686 **Average Radon Result: 0.2 pCi/L**

Samples for EMSL Kit 135702

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230094 381600854-0023	235	0.6	1/29/2016 12:05:00 PM	2/1/2016 6:52:00 AM	50	40	Customer

Sample Notes:

229996 381600854-0024	235	0.8	1/29/2016 12:06:00 PM	2/1/2016 6:53:00 AM	50	40	Customer
--------------------------	-----	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135702 **Average Radon Result: 0.7 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135701

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230038 381600854-0025	100 General Main Office	0.3	1/29/2016 12:07:00 PM	2/1/2016 6:54:00 AM	50	40	Customer

Sample Notes:

229904 381600854-0026	100 General Main Office	0.2	1/29/2016 12:08:00 PM	2/1/2016 6:55:00 AM	50	40	Customer
--------------------------	----------------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135701 **Average Radon Result: 0.3 pCi/L**

Samples for EMSL Kit 135713

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229857 381600854-0027	Health Room 111	0.2	1/29/2016 12:09:00 PM	2/1/2016 6:56:00 AM	50	40	Customer

Sample Notes:

229754 381600854-0028	Health Room 111	0.2	1/29/2016 12:10:00 PM	2/1/2016 6:57:00 AM	50	40	Customer
--------------------------	-----------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135713 **Average Radon Result: 0.2 pCi/L**

Samples for EMSL Kit 135652

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229415 381600854-0029	233 Before And After Care	0.2	1/29/2016 12:11:00 PM	2/1/2016 6:58:00 AM	50	40	Customer

Sample Notes:

229396 381600854-0030	233 Before And After Care	0.3	1/29/2016 12:12:00 PM	2/1/2016 6:59:00 AM	50	40	Customer
--------------------------	------------------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135652 **Average Radon Result: 0.3 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135662

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229458 381600854-0031	Media Center 226	0.1	1/29/2016 12:13:00 PM	2/1/2016 7:00:00 AM	50	40	Customer

Sample Notes:

229341 381600854-0032	Media Center 226	0.2	1/29/2016 12:14:00 PM	2/1/2016 7:01:00 AM	50	40	Customer
--------------------------	------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135662 Average Radon Result: 0.2 pCi/L

Samples for EMSL Kit 135656

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229401 381600854-0033	Multi-Purpose Room 136	1.4	1/29/2016 12:15:00 PM	2/1/2016 7:02:00 AM	50	40	Customer

Sample Notes:

229316 381600854-0034	Multi-Purpose Room 136	1.1	1/29/2016 12:16:00 PM	2/1/2016 7:03:00 AM	50	40	Customer
--------------------------	---------------------------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135656 Average Radon Result: 1.3 pCi/L

Samples for EMSL Kit 135661

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229443 381600854-0035	Kitchen	1.1	1/29/2016 12:17:00 PM	2/1/2016 7:04:00 AM	50	40	Customer

Sample Notes:

229387 381600854-0036	Kitchen	1.1	1/29/2016 12:18:00 PM	2/1/2016 7:05:00 AM	50	40	Customer
--------------------------	---------	-----	--------------------------	------------------------	----	----	----------

Sample Notes:

Summary for EMSL Kit 135661 Average Radon Result: 1.1 pCi/L

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135649

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229352	Room 150 Music	0.3	1/29/2016	2/1/2016	50	40	Customer
381600854-0037			12:19:00 PM	7:06:00 AM			

Sample Notes:

229310	Room 150 Music	0.4	1/29/2016	2/1/2016	50	40	Customer
381600854-0038			12:20:00 PM	7:07:00 AM			

Sample Notes:

Summary for EMSL Kit 135649 Average Radon Result: 0.4 pCi/L

Samples for EMSL Kit 135673

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229382	Rom 146	0.8	1/29/2016	2/1/2016	50	40	Customer
381600854-0039			12:21:00 PM	7:08:00 AM			

Sample Notes:

229070	Rom 146	0.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0040			12:22:00 PM	7:09:00 AM			

Sample Notes:

Summary for EMSL Kit 135673 Average Radon Result: 0.7 pCi/L

Samples for EMSL Kit 135647

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229473	Physical Ed Office	1.7	1/29/2016	2/1/2016	50	40	Customer
381600854-0041			12:24:00 PM	7:10:00 AM			

Sample Notes:

229471	Physical Ed Office	1.9	1/29/2016	2/1/2016	50	40	Customer
381600854-0042			12:25:00 PM	7:11:00 AM			

Sample Notes:

Summary for EMSL Kit 135647 Average Radon Result: 1.8 pCi/L

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135675

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229445	CPU Room 221	0.4	1/29/2016	2/1/2016	50	40	Customer
381600854-0043			12:26:00 PM	7:12:00 AM			

Sample Notes:

229381	CPU Room 221	0.5	1/29/2016	2/1/2016	50	40	Customer
381600854-0044			12:27:00 PM	7:13:00 AM			

Sample Notes:

Summary for EMSL Kit 135675 **Average Radon Result: 0.4 pCi/L**

Samples for EMSL Kit 135643

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229406	220	0.5	1/29/2016	2/1/2016	50	40	Customer
381600854-0045			12:28:00 PM	7:14:00 AM			

Sample Notes:

229404	220	0.5	1/29/2016	2/1/2016	50	40	Customer
381600854-0046			12:29:00 PM	7:15:00 AM			

Sample Notes:

Summary for EMSL Kit 135643 **Average Radon Result: 0.5 pCi/L**

Samples for EMSL Kit 135655

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229342	216	0.7	1/29/2016	2/1/2016	50	40	Customer
381600854-0047			12:30:00 PM	7:16:00 AM			

Sample Notes:

229312	216	0.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0048			12:31:00 PM	7:17:00 AM			

Sample Notes:

Summary for EMSL Kit 135655 **Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135646

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229421	214	0.9	1/29/2016	2/1/2016	50	40	Customer
381600854-0049			12:32:00 PM	7:18:00 AM			

Sample Notes:

229322	214	1.1	1/29/2016	2/1/2016	50	40	Customer
381600854-0050			12:33:00 PM	7:19:00 AM			

Sample Notes:

Summary for EMSL Kit 135646 **Average Radon Result: 1.0 pCi/L**

Samples for EMSL Kit 135648

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229442	213	1.9	1/29/2016	2/1/2016	50	40	Customer
381600854-0051			12:34:00 PM	7:20:00 AM			

Sample Notes:

229332	213	2.3	1/29/2016	2/1/2016	50	40	Customer
381600854-0052			12:35:00 PM	7:21:00 AM			

Sample Notes:

Summary for EMSL Kit 135648 **Average Radon Result: 2.1 pCi/L**

Samples for EMSL Kit 135644

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229454	210	0.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0053			12:36:00 PM	7:22:00 AM			

Sample Notes:

229400	210	0.8	1/29/2016	2/1/2016	50	40	Customer
381600854-0054			12:37:00 PM	7:23:00 AM			

Sample Notes:

Summary for EMSL Kit 135644 **Average Radon Result: 0.7 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381600854

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES****Rosaryville ES****Test Report: Radon in Air Test Results****Samples for EMSL Kit 135674**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229354	208	1.7	1/29/2016	2/1/2016	50	40	Customer
381600854-0055			12:38:00 PM	7:24:00 AM			

Sample Notes:

229326	208	1.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0056			12:39:00 PM	7:25:00 AM			

Sample Notes:**Summary for EMSL Kit 135674 Average Radon Result: 1.7 pCi/L****Samples for EMSL Kit 135677**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229298	205	3.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0057			12:40:00 PM	7:26:00 AM			

Sample Notes:

229282	205	3.8	1/29/2016	2/1/2016	50	40	Customer
381600854-0058			12:41:00 PM	7:27:00 AM			

Sample Notes:**Summary for EMSL Kit 135677 Average Radon Result: 3.7 pCi/L****Samples for EMSL Kit 135654**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229386	203	0.8	1/29/2016	2/1/2016	50	40	Customer
381600854-0059			12:42:00 PM	7:28:00 AM			

Sample Notes:

229345	203	0.5	1/29/2016	2/1/2016	50	40	Customer
381600854-0060			12:43:00 PM	7:29:00 AM			

Sample Notes:**Summary for EMSL Kit 135654 Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/4/2016
 Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135653

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229485	202	0.3	1/29/2016	2/1/2016	50	40	Customer
381600854-0061			12:44:00 PM	7:29:00 AM			

Sample Notes:

229461	202	0.1	1/29/2016	2/1/2016	50	40	Customer
381600854-0062			12:45:00 PM	7:30:00 AM			

Sample Notes:

Summary for EMSL Kit 135653 Average Radon Result: 0.2 pCi/L

Samples for EMSL Kit 135645

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229337	200	1.8	1/29/2016	2/1/2016	50	40	Customer
381600854-0063			12:46:00 PM	7:31:00 AM			

Sample Notes:

229327	200	1.6	1/29/2016	2/1/2016	50	40	Customer
381600854-0064			12:47:00 PM	7:32:00 AM			

Sample Notes:

Summary for EMSL Kit 135645 Average Radon Result: 1.7 pCi/L

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information. All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>

cinnaminsonradonlab@emsl.com

EMSL Order: 381600854
CustomerID: PGCS62
CustomerPO:
ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 02/02/16 1:50 PM
Analysis Date: 2/4/2016
Collected: 1/29/2016

Project: **Rosaryville ES**

Rosaryville ES

Test Report: Radon in Air Test Results

Analyst(s)

Kathryn Lickfield (64)

Laura Freeman *Subash Rashat*

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Report Amended: 02/09/2016 12:10:44 Replaces the Inital Report 02/09/2016 12:03:44. Reason Code: Data Entry-Change to Appearance

Please visit www.radontestinglab.com