



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
 CustomerID: GLBW42
 CustomerPO:
 ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
 Fax:
 Received: 11/17/2023 04:26 PM
 Analysis Date: 11/17/2023
 Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

Samples for EMSL Kit 309321

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550539	502	1.5	11/10/2023	11/13/2023	76	28	Customer
382306953-0001			10:17:00 AM	8:23:00 AM			

Sample Notes:

Samples for EMSL Kit 308454

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550311	828 MPR	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0002			10:21:00 AM	8:25:00 AM			

Sample Notes:

Samples for EMSL Kit 304294

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550542	833 Kitchen	0.3	11/10/2023	11/13/2023	76	28	Customer
382306953-0003			10:23:00 AM	8:26:00 AM			

Sample Notes:

Samples for EMSL Kit 309305

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550572	857	0.8	11/10/2023	11/13/2023	76	28	Customer
382306953-0004			10:26:00 AM	8:29:00 AM			

Sample Notes:

550395	857	0.1	11/10/2023	11/13/2023	76	28	Blank
382306953-0005			10:26:00 AM	8:29:00 AM			

Sample Notes:

Samples for EMSL Kit 309284

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550589	504	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0006			10:30:00 AM	8:33:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/17/2023 04:26 PM
Analysis Date: 11/17/2023
Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

Samples for EMSL Kit 309298

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550751	523	0.3	11/10/2023	11/13/2023	76	28	Customer
382306953-0007			10:32:00 AM	8:33:00 AM			

Sample Notes:

549319	523	0.1	11/10/2023	11/13/2023	76	28	Duplicate
382306953-0008			10:32:00 AM	8:33:00 AM			

Sample Notes:

Duplicate RPD = 100%

Samples for EMSL Kit 308474

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550193	522	0.3	11/10/2023	11/13/2023	76	28	Customer
382306953-0009			10:34:00 AM	8:35:00 AM			

Sample Notes:

Samples for EMSL Kit 309287

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550562	508	0.6	11/10/2023	11/13/2023	76	28	Customer
382306953-0010			10:37:00 AM	8:36:00 AM			

Sample Notes:

Samples for EMSL Kit 309301

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550598	516	0.6	11/10/2023	11/13/2023	76	28	Customer
382306953-0011			10:39:00 AM	9:27:00 AM			

Sample Notes:

Samples for EMSL Kit 309319

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550520	315	1	11/10/2023	11/13/2023	76	28	Customer
382306953-0012			10:42:00 AM	8:38:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/17/2023 04:26 PM
Analysis Date: 11/17/2023
Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

Samples for EMSL Kit 309303

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550878	312	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0013			10:45:00 AM	9:10:00 AM			

Sample Notes:

Samples for EMSL Kit 309311

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550569	326	0.5	11/10/2023	11/13/2023	76	28	Customer
382306953-0014			10:49:00 AM	9:11:00 AM			

Sample Notes:

Samples for EMSL Kit 309314

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550559	327	0.5	11/10/2023	11/13/2023	76	28	Customer
382306953-0015			10:50:00 AM	9:13:00 AM			

Sample Notes:

Samples for EMSL Kit 309291

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550533	331	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0016			10:53:00 AM	9:15:00 AM			

Sample Notes:

Samples for EMSL Kit 309293

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550594	304	0.3	11/10/2023	11/13/2023	76	28	Customer
382306953-0017			10:55:00 AM	9:17:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/17/2023 04:26 PM
Analysis Date: 11/17/2023
Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308476

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550173	335	0.5	11/10/2023	11/13/2023	76	28	Customer
382306953-0018			10:57:00 AM	9:18:00 AM			

Sample Notes:

Samples for EMSL Kit 309296

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550568	412	0.8	11/10/2023	11/13/2023	76	28	Customer
382306953-0019			11:00:00 AM	8:43:00 AM			

Sample Notes:

Samples for EMSL Kit 309295

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550709	415	0.7	11/10/2023	11/13/2023	76	28	Customer
382306953-0020			11:03:00 AM	8:44:00 AM			

Sample Notes:

Samples for EMSL Kit 309283

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550543	558	1.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0021			11:06:00 AM	8:47:00 AM			

Sample Notes:

Samples for EMSL Kit 309328

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550708	547	1.6	11/10/2023	11/13/2023	76	28	Customer
382306953-0022			11:08:00 AM	8:49:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/17/2023 04:26 PM
Analysis Date: 11/17/2023
Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

Samples for EMSL Kit 309315

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550850	712	1	11/10/2023	11/13/2023	76	28	Customer
382306953-0023			11:10:00 AM	8:51:00 AM			

Sample Notes:

Samples for EMSL Kit 309290

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550522	A116	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0024			11:14:00 AM	8:55:00 AM			

Sample Notes:

Samples for EMSL Kit 309309

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550549	B112	0.4	11/10/2023	11/13/2023	76	28	Customer
382306953-0025			11:25:00 AM	9:03:00 AM			

Sample Notes:

Samples for EMSL Kit 309324

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550735	B149	0.3	11/10/2023	11/13/2023	76	28	Customer
382306953-0026			11:28:00 AM	8:57:00 AM			

Sample Notes:

Samples for EMSL Kit 309299

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550530	Kitchen	0.7	11/10/2023	11/13/2023	76	28	Customer
382306953-0027			11:30:00 AM	9:00:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306953
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/17/2023 04:26 PM
Analysis Date: 11/17/2023
Collected: 11/10/2023

Project: **Accokeek Academy / 14400 Berry Rd**

Test Site: **Accokeek Academy**
14400 Berry Rd
Accokeek, MD 20607

Test Report: Radon in Air Test Results

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information. All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Jeanel Zoll (27)

Dominic Gehret, Radiochemistry Laboratory Manager, NJ Radon
Measurement Specialist MES 13910
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ FL RB2034/R2687,IL RNL2008202,IN RTL00935,IA RNLAB10005,KS KS-LB-0005/KS-MS-0482,ME SPC202,MN RL-0005,NE 474/RMB-1083,NJ 03036/MEB92525/MES13910,NY 10872,OH RL39,OK D9952,PA 2573/3393/68-00367,RI RMB-108/RI00179,WV RL000220,NRSB-ARL6006,NRPP

Initial report from 11/20/2023 18:03:10

Please visit www.radontestinglab.com